

E-BIKES

EVO

THE E-BIKE REVOLUTION




BATTERY INTEGRATED INTO THE FRAME

Its patented design with removable battery that is completely integrated into the frame converts the EVO into one of the most comfortable and completely innovative bicycles in design.

EXTERNAL PORT

Its external port allows you to charge at any outlet without removing the battery.



SNOW SYSTEM* (total traction)

Thanks to the installation of two motors, both rear and front, and a software that regulates and optimizes its use achieves a total traction control. Essential for preventing the tires from slipping in adverse weather conditions (rain, snow, ice, mud). It also has an economy setting in which two motors operate in coordination and work only in the high-efficiency areas. This gives it greater freedom.

INTERIOR CHARGE INDICATOR

Inside the battery, there are 5 LED lights that indicate the level of charge of the EVO battery.





The narrow and stylized design of the diagonal tube with a 17% smaller cross section, gives the bike the aesthetic of a conventional bike.

Its frame has been built to house the battery, preventing visual alterations and in this way, it maintains its rigidity.

Its wide sporting range is enormously reactive and allows maximum efficiency in assisted-pedaling so that you can enjoy all types of terrains and technical areas.

RDS 350 W Rear Motor

Its powerful 350 W motor, located on the rear tire and limited to 250W in order to balance the use of the motor and allows you to obtain the maximum performance in times of extreme use.

Contains patented differentiators exclusively from BH. When the cyclist is using the wheel without resistance, the wheel is free of friction.

Has a side output motor cable to facilitate the output of the rear wheel.
Has a fixed cassette system.

Optional Kits

The EVO product range allows you to incorporate the following kits:
- Light Upgrade Kit
- Quick Release Motor
- App Lite & Premium; with GPS navigation, navigation systems and tools for checking the electronic system and the battery.

* Evo Snow 29"

Choose your time of assistance

Casual Spin	ECO
1:0,7	Extra power by 70% assisted pedaling.
Long ride	STANDARD
1:1,4	Extra power by 140% assisted pedaling.
Sport	SPORT
1:2	Double the power through assisted pedaling.
Fast ride	BOOST
1:3	Triplies the power through assisted pedaling.

Transmission and standard **Q Factor**
for use as a conventional bike

App Premium



EVO

-  Emotion Remov.
-  Samsung 432Wh (36V/ 12Ah)
Samsung 324Wh (36V/ 9Ah)
-  "Brushless" 350W
-  Up to 70 km
Up to 90 km

Upgrade kits




- Motor with Quick Release
- App Lite & Premium
- Light Kit



Evo Race
EV805

-  Evo Alloy Race
-  XDS Carbon
-  Shimano 105 10SP
-  FSA Vero JIS 3SP

-  Tektro E-Comp
180 mm/160 mm
-  Kenda K152 700*25C
-  Shimano

 MD
 kg 20,2




Evo Jumper
29"
EV785

-  Evo Alloy Jumper 29"
-  Suntour Epicon Lorp
120 mm
-  Rock Shox XC32
-  Shimano XT 10SP

-  Shimano Deore
-  Tektro E-Comp
180 mm/160 mm
-  Schwalbe Rapid Rob
29*2,25
-  Shimano




 MD
 kg 24,5




Evo 29"
EV765

-  Evo Alloy 29"
-  Rock Shox XC30 Remote
-  Shimano XT 10SP
-  Shimano Deore

-  Tektro E-Comp
180 mm/160 mm
-  Schwalbe Rapid Rob
29*2,25
-  Shimano

 MD / LA
 kg 23,4




Evo Snow*
29"
EV775

-  Evo Alloy 29"
-  Suntour XCR-MLO
-  Shimano XT 10SP
-  Shimano Deore

-  Tektro E-Comp
180 mm/160 mm
-  Schwalbe Rapid Rob
29*2,25
-  Shimano

 MD
 kg 25,4





*Double motor, exclusively for use off of public roads.



Evo Jumper
27.5"
EV665

-  Evo Alloy Jumper 27.5"
-  Suntour Epicon Lorp
120 mm
-  Rock Shox XC30 Remote
-  Shimano XT 10SP

-  Shimano Deore
-  Tektro E-Comp
180 mm/160 mm
-  Schwalbe Rapid Rob
27.5*2,25
-  Shimano

 MD / LA
 kg 23,5


E-BIKES

EVO

BH 2015



Evo 27.5"
EV625

- Evo Alloy 27.5"
- Suntour XCR-MLO
- Shimano XT 10SP
- Shimano Deore

- Tektro E-Comp 180 mm/160 mm
- Schwalbe Rapid Rob 27,5*2,25
- Shimano

MD / LA
kg 22,5



Evo 27.5"
Lite
EV605

- Evo Alloy 27.5"
- Suntour XCT MLO
- Shimano Alivio 8SP
- Shimano Alivio

- Tektro E-Comp 180 mm/160 mm
- Schwalbe Rapid Rob 27,5*2,25
- Shimano

MD / LA
kg 22,5



Evo Jet
EV715

- Evo Alloy Jet 28"
- Suntour Nex HLO
- Shimano Alivio 8SP
- Shimano Alivio

- Tektro E-Comp 180 mm/160 mm
- Kenda 198 700*38C
- Shimano

MD / LA
kg 22,2



Evo Cross
EV705

- Evo Alloy Cross 28"
- Suntour Nex HLO
- Shimano Alivio 8SP
- Shimano Alivio

- Tektro E-Comp 180 mm/160 mm
- Kenda 198 700*38C
- Shimano

MD / LA
kg 22,2



Evo Gacela
EV575

- Evo Alloy City Wave 28"
- Suntour CR-8V R
- Shimano Nexus 8SP
- Shimano NCX75

- Shimano Roller Brake
- Kenda 198 700*38C
- Shimano Dinamo

MD / LA
kg 25,9



Evo Diamond
Wave
EV515

- Evo Alloy City 28"
- Suntour CR-8V
- Shimano XT 10SP
- Shimano Deore

- Magura Hydraulic HS-11
- Kenda 198 700*38C
- Shimano Dinamo

MD / LA
kg 25,9



Pictures are not contractual



- Evo Diamond EV505**
- Evo Alloy City 28"
 - Suntour CR-8V
 - Shimano XT 10SP
 - Shimano Deore
 - Magura Hydraulic HS-11
 - Kenda 198 700*38C
 - Shimano Dinamo
 - kg 25,9
 - MD / LA



- Evo City Wave EV415**
- Evo Alloy City Wave 28"
 - Suntour Nex HLO
 - Shimano Alivio 8SP
 - Shimano Altus
 - Tektro E-Comp 180 mm/160 mm
 - Kenda 198 700*38C
 - Shimano Dinamo
 - kg 26,5
 - MD / LA



- Evo City EV405**
- Evo Alloy City 28"
 - Suntour Nex HLO
 - Shimano Alivio 8SP
 - Shimano Altus
 - Tektro E-Comp 180 mm/160 mm
 - Kenda 198 700*38C
 - Shimano Dinamo
 - kg 26,5
 - MD / LA



- Evo Street EV335**
- Evo City Wave Alloy 26"
 - Suntour Nex4100-V2
 - Shimano Alivio 8SP
 - Shimano Altus
 - Tektro E-Comp 180 mm/160 mm
 - Kenda K193 26*1,75C
 - Shimano Dinamo
 - kg 25,9
 - MD



- Evo Eco EV315**
- Evo City Wave Alloy 26"
 - HI-Ten
 - Shimano RDX35 7SP
 - Suntour XR-178
 - V-Brake Alloy
 - Kenda K193 26*1,75
 - Shimano Dinamo
 - kg 23,9
 - MD




Evo Race EV805

Frame	Evo Alloy Race
Rear Shock	–
Fork	XDS Carbon
Stem	Emotion Lite
Headset	Integrated
Shift levers	Shimano 105
Rear Derailleur	Shimano 105 10SP
Front Derailleur	Shimano Tiagra
Crank Set	FSA Vero JIS 3SP
B.B Set	Integrated
Cassette	Shimano 105 10SP (11-25T)

Chain	Shimano CN-4601
Brake levers	Tektro E-Comp 180 mm/160 mm
Rims	Deep Double Wall Light Race
Tires	Kenda K152 700*25C
Hubs	Shimano
Spokes	Stainless Steel
Saddle	Emotion Perform
Seat Clamp	Alloy
Seatpost	Alloy 31,6 mm
Handlebar	Emotion Lite
Grips	Ergonomic
Pedals	Marwi Alloy
Weight	20,2 kg

TECHNOLOGY

System	Neo RDS 12Ah
Battery	Samsung 432Wh (36V/ 12Ah)
Motor	"Brushless" 350W
Distance	Up to 90 km
Display	LCD Emotion Remov.
Display bag	✓
Upgrade kits	Motor with QR (included) App Lite & Premium Light Kit



Dimensions in mm.

Size	h ₁	h ₂	L ₁	L ₂	L ₃	L ₄	a ₁	a ₂	Total
MD	500	150	617	700	430	1.120	70°	73°	1.820

colors



code

BLACK-N80

Accessories

Chainstay protector



Evo Jumper EV785


29"

Frame	Evo Alloy Jumper 29"
Rear Shock	Suntour Epicon Lorp 120 mm
Fork	Rock Shox XC30 Remote
Stem	Emotion Lite
Headset	Integrated
Shift levers	Shimano Deore
Rear Derailleur	Shimano XT 10SP
Front Derailleur	Shimano Deore 3SP
Crank Set	Shimano Deore
B.B Set	Integrated
Cassette	Shimano HG50 10SP (11-36T)

Chain	Shimano HG54
Brake levers	Tektro E-Comp 180 mm/160 mm
Rims	Alloy Double Wall
Tires	Schwalbe Rapid Rob 29*2,25
Hubs	Shimano
Spokes	Stainless Steel
Saddle	Emotion Cross
Seat Clamp	Quick Release
Seatpost	Alloy 31,6 mm
Handlebar	Emotion Cross Alloy
Grips	Ergonomic
Pedals	Alloy Antislip
Weight	24,5 kg

TECHNOLOGY

System	Neo RDS 12Ah
Battery	Samsung 432Wh (36V/ 12Ah)
Motor	"Brushless" 350W
Distance	Up to 90 km
Display	LCD Emotion Remov.
Display bag	✓
Upgrade kits	Motor with QR (included) App Lite & Premium Light Kit



Dimensions in mm.

Size	h ₁	h ₂	L ₁	L ₂	L ₃	L ₄	a ₁	a ₂	Total
MD	460	175	578	674	455	1.126	70°	73°	1.862

colors



code

RED-R25

Accessories

Chainstay protector




Evo 29" EV765

Frame	Evo Alloy 29"
Rear Shock	–
Fork	Rock Shox XC30 Remote
Stem	Emotion Lite
Headset	Integrated
Shift levers	Shimano Deore
Rear Derailleur	Shimano XT 10SP
Front Derailleur	Shimano Deore 3SP
Crank Set	Shimano Deore
B.B Set	Integrated
Cassette	Shimano HG50 10SP (11-36T)

Chain	Shimano HG54
Brake levers	Tektro E-Comp 180 mm/160 mm
Rims	Alloy Double Wall
Tires	Schwalbe Rapid Rob 29*2,25
Hubs	Shimano
Spokes	Stainless Steel
Saddle	Emotion Cross
Seat Clamp	Quick Release
Seatpost	Alloy 31,6 mm
Handlebar	Emotion Cross Alloy
Grips	Ergonomic
Pedals	Alloy Antislip
Weight	23,4 kg

TECHNOLOGY

System	Neo RDS 12Ah
Battery	Samsung 432Wh (36V/ 12Ah)
Motor	"Brushless" 350W
Distance	Up to 90 km
Display	LCD Emotion Remov.
Display bag	✓
Upgrade kits	Motor with QR (included) App Lite & Premium Light Kit



Dimensions in mm.

Size	h ₁	h ₂	L ₁	L ₂	L ₃	L ₄	a ₁	a ₂	Total
MD	450	150	625	727	445	1.165	70°	73°	1.901
LA	500	150	635	737	445	1.175	70°	73°	1.911

colors	code
	BLACK MATT-N81


Accessories Chainstay protector



Evo Snow*

EV775

29"



Frame	Evo Alloy 29"
Rear Shock	–
Fork	Suntour XCR-MLO
Stem	Emotion Lite
Headset	Integrated
Shift levers	Shimano Deore
Rear Derailleur	Shimano XT 10SP
Front Derailleur	Shimano Deore 3SP
Crank Set	Shimano Deore
B.B Set	Integrated
Cassette	Shimano HG50 10SP (11-36T)

Chain	Shimano HG54
Brake levers	Tektro E-Comp 180 mm/160 mm
Rims	Alloy Double Wall
Tires	Schwalbe Rapid Rob 29*2,25
Hubs	Shimano
Spokes	Stainless Steel
Saddle	Emotion Cross
Seat Clamp	Quick Release
Seatpost	Alloy 31,6 mm
Handlebar	Emotion Cross Alloy
Grips	Ergonomic
Pedals	Alloy Antislip
Weight	25,4 kg

TECHNOLOGY

System	Neo RDS 12Ah
Battery	Samsung 432Wh (36V 12Ah)
Motor	"Brushless" 600W (250W front + 350W rear)
Distance	Up to 90 km
Display	LCD Emotion Remov.
Display bag	✓
Upgrade kits	Motor with QR (included) App Lite & Premium Light Kit

Dimensions in mm.

Size	h₁	h₂	L₁	L₂	L₃	L₄	a₁	a₂	Total
MD	450	150	625	727	445	1.165	70°	73°	1.901

colors	code
	BLACK MATT-N82

Accessories Chainstay protector

*Double motor, exclusively for use off of public roads.



Evo Jumper EV665


27.5"

Frame	Evo Alloy Jumper 27.5"
Rear Shock	Suntour Epicon Lorp 120 mm
Fork	Rock Shox XC30 Remote
Stem	Emotion Lite
Headset	Integrated
Shift levers	Shimano Deore
Rear Derailleur	Shimano XT 10SP
Front Derailleur	Shimano Deore 3SP
Crank Set	Shimano Deore
B.B Set	Integrated
Cassette	Shimano HG50 10SP (11-36T)

Chain	Shimano HG54
Brake levers	Tektro E-Comp 180 mm/160 mm
Rims	Alloy Double Wall
Tires	Schwalbe Rapid Rob 27'5"x2,25
Hubs	Shimano
Spokes	Stainless Steel
Saddle	Emotion Lite
Seat Clamp	Quick Release
Seatpost	Alloy 31,6 mm
Handlebar	Emotion Cross Alloy
Grips	Emotion Cross Plus
Pedals	Alloy Antislip
Weight	23,5 kg

TECHNOLOGY

System	Neo RDS 12Ah
Battery	Samsung 432Wh (36V/ 12Ah)
Motor	"Brushless" 350W
Distance	Up to 90 km
Display	LCD Emotion Remov.
Display bag	✓
Upgrade kits	Motor with QR (included) App Lite & Premium Light Kit



Dimensions in mm.

Size	h ₁	h ₂	L ₁	L ₂	L ₃	L ₄	a ₁	a ₂	Total
MD	450	150	612	726	445	1.126	70°	75°	1.824
LA	500	150	631	736	445	1.136	70°	75°	1.834

colors



code

WHITE-B55

Accessories

Chainstay protector

E-BIKES

EVO



Evo 27.5" EV625

Frame	Evo Alloy 27.5"
Rear Shock	-
Fork	Suntour XCR-MLO
Stem	Emotion Lite
Headset	Integrated
Shift levers	Shimano Deore
Rear Derailleur	Shimano XT 10SP
Front Derailleur	Shimano Deore 3SP
Crank Set	Shimano Deore
B.B Set	Integrated
Cassette	Shimano HG50 10SP (11-36T)
Chain	Shimano HG54
Brake levers	Tektro E-Comp 180 mm/160 mm
Rims	Alloy Double Wall
Tires	Schwalbe Rapid Rob 27,5*2,25
Hubs	Shimano
Spokes	Stainless Steel
Saddle	Emotion Lite Plus
Seat Clamp	Quick Release
Seatpost	Alloy 31,6 mm
Handlebar	Emotion Cross Alloy
Grips	Emotion Cross Plus
Pedals	Alloy Antislip
Weight	22,5 kg

TECHNOLOGY


System	Neo RDS 12Ah
Battery	Samsung 432Wh (36V/ 12Ah)
Motor	"Brushless" 350W
Distance	Up to 90 km
Display	LCD Emotion Remov.
Display bag	✓
Upgrade kits	Motor with QR (included) Apps Lite & Premium Light Kit

Dimensions in mm.

Size	h₁	h₂	L₁	L₂	L₃	L₄	a₁	a₂	Total
MD	450	150	621	712	430	1.138	70°	73°	1.836
LA	510	150	631	722	430	1.148	70°	73°	1.846

colors  code RED-R24

Accessories Chainstay protector



Evo 27.5" LITE EV605

Frame	Evo Alloy 27.5"
Rear Shock	-
Fork	Suntour XCT MLO
Stem	Emotion Lite
Headset	Integrated
Shift levers	Shimano Acera
Rear Derailleur	Shimano Alivio 8SP
Front Derailleur	Shimano M190 3SP
Crank Set	Shimano Alivio
B.B Set	Integrated
Cassette	Shimano HG41 8SP (11-32T)
Chain	Shimano HG40
Brake levers	Tektro E-Comp 180 mm/160 mm
Rims	Alloy Double Wall
Tires	Schwalbe Rapid Rob 27,5*2,25
Hubs	Shimano
Spokes	Stainless Steel
Saddle	Emotion Lite Plus
Seat Clamp	Quick Release
Seatpost	Alloy 31,6
Handlebar	Emotion Cross Alloy
Grips	Emotion Cross Plus
Pedals	Alloy Antislip
Weight	22,5 kg

TECHNOLOGY


System	Neo RDS 9Ah
Battery	Samsung 324Wh (36V/ 9Ah)
Motor	"Brushless" 350W
Distance	Up to 70 km
Display	LCD Emotion Remov.
Display bag	✓
Upgrade kits	Motor with QR Apps Lite & Premium Light Kit

Dimensions in mm.

Size	h₁	h₂	L₁	L₂	L₃	L₄	a₁	a₂	Total
MD	450	150	621	712	430	1.138	70°	73°	1.836
LA	510	150	631	722	430	1.148	70°	73°	1.846

colors  code WHITE-B57

Accessories Chainstay protector






Evo Jet EV715

Frame	Evo Alloy Jet 28"
Rear Shock	-
Fork	Suntour Nex HLO
Stem	Emotion Lite
Headset	Integrated
Shift levers	Shimano Acera
Rear Derailleur	Shimano Alivio 8SP
Front Derailleur	Shimano Altus 3SP
Crank Set	Shimano Alivio
B.B Set	Integrated
Cassette	Shimano HG41 8SP (11-32T)
Chain	Shimano HG40
Brake levers	Tektro E-Comp 180 mm/160 mm
Rims	Alloy Double Wall
Tires	Kenda 198 700*38C
Hubs	Shimano
Spokes	Stainless Steel
Saddle	Emotion Cross
Seat Clamp	Quick Release
Seatpost	Alloy 31,6 mm
Handlebar	Emotion Cross Alloy
Grips	Ergonomic
Pedals	Alloy Antislip
Weight	22,2 kg

TECHNOLOGY

System	Neo RDS 12Ah
Battery	Samsung 432Wh (36V/ 12Ah)
Motor	"Brushless" 350W
Distance	Up to 90 km
Display	LCD Emotion Remov.
Display bag	<input checked="" type="checkbox"/>
Upgrade kits	Motor with QR Apps Lite & Premium Light Kit



Dimensions in mm.									
Size	h1	h2	L1	L2	L3	L4	a1	a2	Total
MD	440	165	624	700	445	1.137	70°	73°	1.848
LA	480	165	634	710	445	1.147	70°	73°	1.858

colors	code
	WHITE-B56

Accessories Kickstand and chainstay protector




Evo Cross EV705

Frame	Evo Alloy Cross 28"
Rear Shock	-
Fork	Suntour Nex HLO
Stem	Emotion Lite
Headset	Integrated
Shift levers	Shimano Acera
Rear Derailleur	Shimano Alivio 8SP
Front Derailleur	Shimano Altus 3SP
Crank Set	Shimano Alivio
B.B Set	Integrated
Cassette	Shimano HG41 8SP (11-32T)
Chain	Shimano HG40
Brake levers	Tektro E-Comp 180 mm/160 mm
Rims	Alloy Double Wall
Tires	Kenda 198 700*38C
Hubs	Shimano
Spokes	Stainless Steel
Saddle	Emotion Cross
Seat Clamp	Quick Release
Seatpost	Alloy 31,6 mm
Handlebar	Emotion Cross Alloy
Grips	Emotion Lite
Pedals	Alloy Antislip
Weight	22,2 kg

TECHNOLOGY

System	Neo RDS 12Ah
Battery	Samsung 432Wh (36V/ 12Ah)
Motor	"Brushless" 350W
Distance	Up to 90 km
Display	LCD Emotion Remov.
Display bag	<input checked="" type="checkbox"/>
Upgrade kits	Motor with QR Apps Lite & Premium Light Kit



Dimensions in mm.									
Size	h1	h2	L1	L2	L3	L4	a1	a2	Total
MD	500	160	614	700	445	1.137	70°	73°	1.848
LA	550	160	624	710	445	1.147	70°	73°	1.858

colors	code
	BLACK MATT-N79

Accessories Kickstand and chainstay protector




Evo Gacela EV575

Frame	Evo Alloy City Wave 28"
Rear Shock	–
Fork	Suntour CR-8V R
Stem	Emotion Auto Adjustable
Headset	Integrated
Shift levers	Shimano Nexus 8SP
Rear Derailleur	Shimano Nexus 8SP
Front Derailleur	–
Crank Set	Shimano NCX75
B.B Set	Integrated
Cassette	Shimano 16T

Chain	Shimano
Brake levers	Shimano Roller Brake
Rims	Alloy Double Wall
Tires	Kenda 198 700*38C
Hubs	Shimano Dinamo
Spokes	Stainless Steel
Saddle	Emotion Comfort
Seat Clamp	Alloy
Seatpost	Alloy 31,6 mm
Handlebar	Emotion City Alloy
Grips	Ergonomic
Pedals	Alloy Safety Pedal
Weight	25,9 Kg

TECHNOLOGY

System	Neo RDS 12Ah
Battery	Samsung 432Wh (36V/ 12Ah)
Motor	"Brushless" 350W
Distance	Up to 90 km
Display	LCD Emotion Remov.
Display bag	✓
Upgrade kits	Motor with QR Apps Lite & Premium



Dimensions in mm.

Size	h ₁	h ₂	L ₁	L ₂	L ₃	L ₄	a ₁	a ₂	Total
MD	480	195	591,9	655	445	1.091,4	70°	73°	1.791,4
LA	540	195	616,8	682	445	1.118,6	70°	73°	1.818,6

colors



code

WHITE-005

Accessories

Chain guard, fenders, carrier, kickstand, chainstay protector and bell

Lighting

Headlight: Spanninga Roxeo,
Rear light: Spanninga Brasa,
Rear reflector: Rear Light Integrated




Evo Diamond EV515 WAVE

Frame	Evo Alloy City 28"
Rear Shock	-
Fork	Suntour CR-8V
Stem	Emotion Auto Adjustable
Headset	Integrated
Shift levers	Shimano Deore
Rear Deraillieur	Shimano XT 10SP
Front Deraillieur	Shimano Deore 3SP
Crank Set	Shimano Deore
B.B Set	Integrated
Cassette	Shimano Deore 10SP (11-36T)
Chain	Shimano Deore
Brake levers	Magura Hydraulic HS-11
Rims	Alloy Double Wall
Tires	Kenda 198 700*38C
Hubs	Shimano Dinamo
Spokes	Stainless Steel
Saddle	Emotion Comfort
Seat Clamp	Alloy
Seatpost	Alloy 31,6 mm
Handlebar	Emotion City Alloy
Grips	Ergonomic
Pedals	Alloy Safety Pedal
Weight	25,9 Kg

TECHNOLOGY

System	Neo RDS 12Ah
Battery	Samsung 432Wh (36V/ 12Ah)
Motor	"Brushless" 350W
Distance	Up to 90 km
Display	LCD Emotion Remov.
Display bag	<input checked="" type="checkbox"/>
Upgrade kits	Motor with QR Apps Lite & Premium



Dimensions in mm.

Size	h1	h2	L1	L2	L3	L4	a1	a2	Total
MD	480	195	591,9	655	445	1.091,4	70°	73°	1.791,4
LA	540	195	616,8	682	445	1.118,6	70°	73°	1.818,6

colors	code
	BLACK-611

Accessories Chain guard, fenders, carrier, kickstand, chainstay protector and bell

Lighting Headlight: Spanninga Roxeo, Rear light: Spanninga Brasa, Rear reflector: Rear Light Integrated




Evo Diamond EV505

Frame	Evo Alloy City 28"
Rear Shock	-
Fork	Suntour CR-8V
Stem	Emotion Auto Adjustable
Headset	Integrated
Shift levers	Shimano Deore
Rear Deraillieur	Shimano XT 10SP
Front Deraillieur	Shimano Deore 3SP
Crank Set	Shimano Deore
B.B Set	Integrated
Cassette	Shimano Deore 10SP (11-36T)
Chain	Shimano Deore
Brake levers	Magura Hydraulic HS-11
Rims	Alloy Double Wall
Tires	Kenda 198 700*38C
Hubs	Shimano Dinamo
Spokes	Stainless Steel
Saddle	Emotion Comfort
Seat Clamp	Alloy
Seatpost	Alloy 31,6 mm
Handlebar	Emotion City Alloy
Grips	Ergonomic
Pedals	Alloy Safety Pedal
Weight	25,9 Kg

TECHNOLOGY

System	Neo RDS 12Ah
Battery	Samsung 432Wh (36V/ 12Ah)
Motor	"Brushless" 350W
Distance	Up to 90 km
Display	LCD Emotion Remov.
Display bag	<input checked="" type="checkbox"/>
Upgrade kits	Motor with QR Apps Lite & Premium



Dimensions in mm.

Size	h1	h2	L1	L2	L3	L4	a1	a2	Total
MD	500	195	591,9	655	445	1.091,5	70°	73°	1.791,5
LA	550	195	619,1	682	445	1.118,6	70°	73°	1.818,6

colors	code
	BLACK-611

Accessories Chain guard, fenders, carrier, kickstand, chainstay protector and bell

Lighting Headlight: Spanninga Roxeo, Rear light: Spanninga Brasa, Rear reflector: Rear Light Integrated




WAVE

Evo City EV415

Frame	Evo Alloy City Wave 28"
Rear Shock	-
Fork	Suntour Nex HLO
Stem	Emotion Auto Adjustable
Headset	Integrated
Shift levers	Shimano Alivio
Rear Derailleur	Shimano Alivio 8SP
Front Derailleur	Shimano FDM191 3SP
Crank Set	Shimano Altus
B.B Set	Integrated
Cassette	Shimano HG41 8SP (11-32T)
Chain	Shimano HG40
Brake levers	Tektro E-Comp 180 mm/160 mm
Rims	Alloy Double Wall
Tires	Kenda 198 700*38C
Hubs	Shimano Dinamo
Spokes	Stainless Steel
Saddle	Emotion Comfort
Seat Clamp	Alloy
Seatpost	Alloy 31,6 mm
Handlebar	Emotion City Alloy
Grips	Ergonomic
Pedals	Alloy Safety Pedal
Weight	26,5 Kg

TECHNOLOGY

System	Neo RDS 12Ah
Battery	Samsung 432Wh (36V/ 12Ah)
Motor	"Brushless" 350W
Distance	Up to 90 km
Display	LCD Emotion Remov.
Display bag	<input checked="" type="checkbox"/>
Upgrade kits	Motor with QR Apps Lite & Premium



Dimensions in mm.									
Size	h ₁	h ₂	L ₁	L ₂	L ₃	L ₄	a ₁	a ₂	Total
MD	480	195	591,9	655	445	1.091,4	70°	73°	1.791,4
LA	540	195	616,8	682	445	1.118,6	70°	73°	1.818,6

colors	code
	WHITE-005

Accessories	Chain guard, fenders, carrier, kickstand, chainstay protector and bell
Lighting	Headlight: Spanninga Roxeo, Rear light: Spanninga Brasa, Rear reflector: Rear Light Integrated




Evo City EV405

Frame	Evo Alloy City 28"
Rear Shock	-
Fork	Suntour Nex HLO
Stem	Emotion Auto Adjustable
Headset	Integrated
Shift levers	Shimano Alivio
Rear Derailleur	Shimano Alivio 8SP
Front Derailleur	Shimano FDM191 3SP
Crank Set	Shimano Altus
B.B Set	Integrated
Cassette	Shimano HG41 8SP (11-32T)
Chain	Shimano HG40
Brake levers	Tektro E-Comp 180 mm/160 mm
Rims	Alloy Double Wall
Tires	Kenda 198 700*38C
Hubs	Shimano Dinamo
Spokes	Stainless Steel
Saddle	Emotion Comfort
Seat Clamp	Alloy
Seatpost	Alloy 31,6 mm
Handlebar	Emotion City Alloy
Grips	Ergonomic
Pedals	Alloy Safety Pedal
Weight	26,5 Kg

TECHNOLOGY

System	Neo RDS 12Ah
Battery	Samsung 432Wh (36V/ 12Ah)
Motor	"Brushless" 350W
Distance	Up to 90 km
Display	LCD Emotion Remov.
Display bag	<input checked="" type="checkbox"/>
Upgrade kits	Motor with QR Apps Lite & Premium



Dimensions in mm.									
Size	h ₁	h ₂	L ₁	L ₂	L ₃	L ₄	a ₁	a ₂	Total
MD	500	195	591,9	655	445	1.091,5	70°	73°	1.791,5
LA	550	195	619,1	682	445	1.118,6	70°	73°	1.818,6

colors	code
	WHITE-005

Accessories	Chain guard, fenders, carrier, kickstand, chainstay protector and bell
Lighting	Headlight: Spanninga Roxeo, Rear light: Spanninga Brasa, Rear reflector: Rear Light Integrated




Evo Street EV335

Frame	Evo City Wave Alloy 26"
Rear Shock	-
Fork	Suntour Nex4100-V2
Stem	Emotion Auto Adjustable
Headset	Integrated
Shift levers	Shimano Alivio
Rear Derailleur	Shimano Alivio 8SP
Front Derailleur	Shimano FDM191 3SP
Crank Set	Shimano Altus
B.B Set	Integrated
Cassette	Shimano HG41 8SP (11-32T)
Chain	Shimano HG40
Brake levers	Tektro E-Comp 180 mm/160 mm
Rims	Alloy Double Wall
Tires	Kenda K193 26*1,75C
Hubs	Shimano Dinamo
Spokes	Stainless Steel
Saddle	Emotion Comfort
Seat Clamp	Alloy
Seatpost	Alloy 31,6 mm
Handlebar	Emotion City Alloy
Grips	Ergonomic
Pedals	Alloy Safety Pedal
Weight	25,9 Kg

TECHNOLOGY

System	Neo RDS 12Ah
Battery	Samsung 432Wh (36V/ 12Ah)
Motor	"Brushless" 350W
Distance	Up to 90 km
Display	LCD Emotion Remov.
Display bag	<input checked="" type="checkbox"/>
Upgrade kits	Motor with QR Apps Lite & Premium



Dimensions in mm.

Size	h1	h2	L1	L2	L3	L4	a1	a2	Total
MD	410	195	583	650	445	1.091	70°	73°	1.741

colors	code
	WHITE-005

- Accessories Chain guard, fenders, carrier, kickstand, chainstay protector and bell
- Lighting Headlight: Spanninga Roxeo, Rear light: Spanninga Brasa, Rear reflector: Rear Light Integrated




Evo Eco EV315

Frame	Evo City Wave Alloy 26"
Rear Shock	-
Fork	Hi-Ten
Stem	Alloy
Headset	Integrated
Shift levers	Shimano Tourney 7SP
Rear Derailleur	Shimano RDTX35 7SP
Front Derailleur	Shimano FM191
Crank Set	Suntour XR-178
B.B Set	Integrated
Cassette	Shimano HG-20 7SP (14-28T)
Chain	KMC Z51
Brake levers	V-Brake Alloy
Rims	Alloy Double Wall
Tires	Kenda K193 26*1,75
Hubs	Shimano Dinamo
Spokes	Stainless Steel
Saddle	Emotion Comfort
Seat Clamp	Quick Release
Seatpost	Alloy 31,6 mm
Handlebar	Emotion Travel Alloy
Grips	Ergonomic
Pedals	Alloy Foldable Antislip
Weight	23,9 Kg

TECHNOLOGY

System	Neo RDS 9Ah
Battery	Samsung 324Wh (36V/ 9Ah)
Motor	"Brushless" 350W
Distance	Up to 70 km
Display	LCD Emotion Remov.
Display bag	<input checked="" type="checkbox"/>
Upgrade kits	Motor with QR Apps Lite & Premium



Dimensions in mm.

Size	h1	h2	L1	L2	L3	L4	a1	a2	Total
MD	410	195	583	650	445	1.091	70°	73°	1.741

colors	code
	BLACK-611

- Accessories Chain guard, fenders, carrier, kickstand, chainstay protector and bell
- Lighting Headlight: Spanninga Galeo, Rear light: Spanninga HCR, Rear reflector: Rear Light Integrated